



Spec Sheet

Full Louver Regular Slats


Doors
80"





Doors
84"



Doors
96"




Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"




Spec Sheet

Louver over Louver Regular Slats


Doors
80"



Doors
84"





Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 1.143"




Spec Sheet

Louver over Panel Regular Slats


Doors
80"



Doors
84"





Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 1.143"




Spec Sheet

Panel over Louver Regular Slats


Doors
80"



Doors
84"





Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 1.143"



Spec Sheet

Full Louver Regular Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats	Bottom to ctr of L-R
83"	4.801"	59	N/A
95"	4.228"	70	N/A

Spec Sheet

Louver over Louver Regular Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats Top/Bottom	Bottom to ctr of L-R
83"	4.801"	35 / 20	35.622"
95"	4.228"	46 / 20	35.622"

Spec Sheet

Louver over Panel Regular Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats	Bottom to ctr of L-R
83"	4.801"	35	35.622"
95"	4.228"	46	35.622"

Spec Sheet

Panel over Louver Regular Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats	Bottom to ctr of L-R
83"	4.087"	20	35.622"
95"	4.087"	20	35.622"


Spec Sheet

Full Louver Large Slats


Doors
80"





Doors
84"



Doors
96"




Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"




Spec Sheet

Louver over Louver Large Slats


Doors
80"



Doors
84"





Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 2.286"




Spec Sheet

Louver over Panel Large Slats


Doors
80"



Doors
84"





Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 2.286"




Spec Sheet

Panel over Louver Large Slats


Doors
80"



Doors
84"





Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 2.286"



Spec Sheet

Full Louver Large Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats	Bottom to ctr of L-R
83"	5.944"	29	N/A
95"	4.228"	35	N/A

Spec Sheet

Louver over Louver Large Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats Top/Bottom	Bottom to ctr of L-R
83"	5.944"	17 / 10	35.622"
95"	4.228"	23 / 10	35.622"

Spec Sheet

Louver over Panel Large Slats

Bifold




Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"

Bifold Height	Top Rail	Slats	Bottom to ctr of L-R
83"	5.944"	17	35.622"
95"	4.228"	23	35.622"

Spec Sheet

Panel over Louver Large Slats

Bifold






Door Width	Panel Width	Stile Width	Rail Length
A	B	C	D
24"	11-3/4"	2"	7-3/4"
28"	13-3/4"	2"	9-3/4"
30"	14-3/4"	2"	10-3/4"
32"	15-3/4"	2"	11-3/4"
36"	17-3/4"	2"	13-3/4"


Bifold Height	Top Rail	Slats	Bottom to ctr of L-R
83"	4.087"	10	35.622"
95"	4.087"	10	35.622"

Spec Sheet

False Louver - Full Louver Large Slats






Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"




Spec Sheet

False Louver - Louver over Louver Large Slats



Door Width	Stile Width	Rail lenght
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 2.286"




Spec Sheet

False Louver - Louver over Panel Large Slats


Doors
80"



Doors
84"




Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"


Lock Rail can also be centered at 46.092"
or in steps of 2.286"




Spec Sheet

False Louver - Panel over Louver Large Slats


Doors
80"



Doors
84"



Doors
96"



Door Width	Stile Width	Rail length
A	B	C
12"	2"	8"
14"	2"	10"
16"	2"	12"
18"	3-3/8"	11-1/4"
20"	3-3/8"	13-1/4"
22"	3-3/8"	15-1/4"
24"	4-3/8"	15-1/4"
26"	4-3/8"	17-1/4"
28"	4-3/8"	19-1/4"
30"	4-3/8"	21-1/4"
32"	4-3/8"	23-1/4"
34"	4-3/8"	25-1/4"
36"	4-3/8"	27-1/4"

Lock Rail can also be centered at 46.092"
or in steps of 2.286"

